



IFW

Docket 86623LMB
Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Peter T. Aylward, et al

ANTISTATIC CONDUCTIVE GRID
PATTERN WITH INTEGRAL
LOGO

Serial No. 10/669,181

Filed September 23, 2003

Commissioner for Patents
P.O. Box 1450
Alexandria, VA. 22313-1450

Sir:

Group Art Unit: 1774

Examiner: Camie S. Thompson

I hereby certify that this correspondence is being
deposited today with the United States Postal Service
as first class mail in an envelope addressed to
Commissioner For Patents, P.O. Box 1450, Alexandria,
VA 22313-1450.

Christine Tolhurst
Christine Tolhurst

February 3, 2006
Date

REQUEST FOR EXTENSION OF TIME
UNDER 37 C.F.R. 1.17 AND 1.136

CHECK ONE:



Applicants petition for an extension of 2 months from
the expiration date of the shortened time period set by
the Office Action dated September 08, 2005.



Applicants petition for a further extension of month from
the expiration date of the extension requested by Applicants
in the Request dated .

**Please charge the fee to Eastman Kodak Company Deposit Account No.
05-0225. A duplicate copy of this request is enclosed.**

02/07/2006 EAREGAY1 00000034 050225 10669181
01 FC:1252 450.00 DA

Respectfully submitted,

Lynne M. Blank /ct
Telephone: 585-477-7418
Facsimile: 585-477-1148

Lynne M. Blank
Attorney for Applicants
Registration No. 42,334

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the
Examiner is requested to communicate with Eastman Kodak Company Patent Operations at
(585) 477-4656.